



≘600 ⊨300 Flood Master





Emulsifiers & Presprays	3
Green-Line	6
Upholstery	7
Spotting Agents	8
Protectors	12
Deodorizers	13
Restoration & Specialty Products	14
Hard Surface	16
Portable Equipment	17
Direct Drive Truckmount	20
Truckmount Accessories	22
Wands, Hand Tools	23

### **PRODUCT GUIDE**

Our color coding and product icons were created for easy navigation and choosing the best product for your needs.



Not all products produced by Esteam are listed in this catalog. Call 1-800-653-8338 or visit www.esteam.com for a complete listing.



### PERFORMANCE CBS




40 lb (18.2 kg)

Diluted pH: 9.7 Dilution Ratio: 1:1280



### TMC PLUS



8 lb (3.6 kg) 50 lb (22.6 kg)

TMC PLUS

Diluted pH: 10.4 Dilution Ratio: 1:1280



### XL-50



XL-50 is a concentrated liquid carpet cleaning emulsifier, designed for use in portable extraction machines. It delivers powerful cleaning action and mixes easily in hot, warm and cold water.

1 L (34 oz) 4 L (1.06 US gal) 20 L (5.28 US gal)

Diluted pH: 9.5 Dilution Ratio: 1:257



### LIQUID CBS



Liquid CBS is an ultra concentrated liquid emulsifier effective on a broad spectrum of soiled fibres. Its unique cutting edge technology rapidly dissolves oils and greasy soils, delivering superior cleaning results. Liquid CBS is formulated for both residential and commercial carpet leaving them Cleaner, Brighter and Softer.

4 L (1.06 US gal) 20 L (5.28 US gal) 205 L (54.1 US gal)

Diluted pH: 9.9-10.6 Dilution Ratio: up to 1:960



### **FORMULA 888**



Formula 888 is a concentrated liquid carpet extraction detergent. Formula 888 delivers all the soil emulsification power required for tough ground in soil conditions. This industrial strength emulsifier is excellent on both residential and commercial carpet.

1 L (34 oz) 4 L (1.06 US gal) Diluted pH: 10.5 Dilution Ratio: 1:320



### **ENCAP PRO PLUS**



Encap Pro Plus is a concentrated encapsulating cleaner containing low moisture deep cleaning compounds and short chain fluorochemical technology. Attributes include excellent detergency, dramatic surface tension reduction and the added benefit of a fluorochemical for dry soil repellency. Encap Pro Plus combines unique crystallizing polymer detergents to deliver deep cleaning and fast drying, forming a crystal that will encapsulate any remaining soil. The encapsulating soil is easily removed from carpet fibres with subsequent vacuuming. This product leaves carpet clean and bright, it also reduces wicking, drying time and resoiling.



Diluted pH: 8.7 Dilution Ratio: 1:32










### **ATTACK**



Attack is a high powered preconditioner which combines active enzymes, surfactants, softeners and grease lifters that will thoroughly clean a broad spectrum of fibres. Attack effectively removes animal, vegetable and petroleum oils, cooking and food residues, leaving traffic areas and heavily soiled carpet completely clean.

8 lb (3.6 kg) 50 lb (22.6 kg) 450 lb (204 kg)

Dilution Ratio: 1:128





### **SUSPEND**



Suspend is Carpet & Rug Institute (CRI) certified as a premium carpet preconditioner and is VOC compliant. Suspend is an advanced high performance concentrated preconditioner for all types of soiled carpet. Suspend combines softeners, grease lifters and surfactants to effectively remove animal, vegetable and petroleum oils, cooking and food residues. The end result is traffic areas that are completely cleaned with a mint fragrance.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 9.2 Dilution Ratio: 1:45



### AMMONIA TRAFFIC LANE



Ammonia Traffic Lane is a special blend of ammonia, surfactants, brightening agents, and softeners that delivers powerful, reliable cleaning performance. It is a non-foaming, self neutralizing preconditioner ready to take on any tough traffic lane situation.



4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 10.0 Dilution Ratio: 1:2



### PRE-MAX



With the advent of new technology, our chemists have designed this maximum performance carpet preconditioner. Using a new advanced synergistic blend of ingredients, including a triple action natural/ synthetic solvent combination, Pre-Max delivers maximum emulsification and easy rinsing, while leaving a pleasant apple fragrance.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 9.4 Dilution Ratio: 1:32



### SUSPEND FREE



Suspend Free is a concentrated pre-conditioner that outperforms many butyl-based presprays. Suspend Free does not contain any butyl components and is fragrance free. It provides excellent results on all types of carpet by removing animal, vegetable and petroleumbased soils quickly and effectively. VOC compliant.

4 L (1.06 US gal)

Diluted pH: 9.1 Dilution Ratio: up to 1:45



### **CITRUS SLAM**



Citrus Slam is a high powered D-limonene infused prespray that breaks down soil & grease quickly and easily, delivering amazing results in a variety of applications. With the digestive action of enzymes Citrus Slam effectively removes animal, vegetable & petroleum oils. This product also excels on high traffic areas, leaving heavily soiled carpet completely clean.

6.5 lb (3 kg) 48 lb (21.8 kg) Diluted pH: 12.0 Dilution Ratio: 1:64



### **OLEFIN PRESPRAY**



Olefin Prespray is a specially developed concentrated preconditionerforOlefin (polypropylene) carpets. This scientific blend of surfactants and grease lifters removes oily and particulate soils that attract to Olefin carpet fibres.

4 L (1.06 US gal)

Diluted pH: 10.0 Dilution Ratio: 1:45



### **FIBRE RINSE**



Fibre Rinse is a specially developed rinsing solution designed to be used in the final step of wet cleaning. Fibre Rinse neutralizes alkalinity and removes detergent residues, leaving fibres clean and soft.

4 L (1.06 US gal) 20 L (5.28 US gal) 205 L (54.1 US gal)

Diluted pH: 2.4 Dilution Ratio: 1:128



### LIQUID DEFOAMER



Liquid Defoamer is a fast acting defoaming agent for use in the recovery tank of extractors. It reduces foaming, keeping vacuums operating at top performance.



Diluted pH: 8.6 Dilution Ratio: Up to 1:15



### **FURY**



Fury is a fast acting, high pH traffic lane prespray, designed to quickly suspend and emulsify the most difficult soil & grease conditions. Fury's cutting edge combination of high performance alkaline builders and surfactants deliver outstanding results in the most challenging situations. Ideal prespray for apartments and synthetic commercial carpets.

4 L (1.06 US gal)

Diluted pH: 12.3 Dilution Ratio: 1:8



### **ULTRA RELEASE**



Ultra Release is a rinse extraction concentrate that effectively dissolves soap and detergent residues left behind by alkaline emulsifiers and presprays. Ultra Release acts as a softener on carpet fibres, and will help prevent browning. It also effectively removes urine salts, residues and odors from contaminated areas. With its high dilution ratio of 1:500, Ultra Release is extremely economical to use.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 2.2 Dilution Ratio: 1:500



### POWDERED DEFOAMER



Powdered Defoamer eliminates troublesomefoaming in recovery tanks from detergent residues left in carpets and upholstery fabrics.







8 lb (3.6 kg) 50 lb (22.6 kg) Diluted pH: 7.5 Dilution Ratio: Ready to use







### **ENVIRONMENTALLY RESPONSIBLE CLEANING**

The Esteam Green-Line was developed for the world of environmentally responsible cleaning. Our products are formulated to meet or exceed the environmental choice for green cleaning as they are phosphates, (APE'S) and carcinogens free, and are all VOC compliant. Don't be fooled though. Even though they're green don't think they can't clean! New technology has drastically changed the way green cleaning products work and the Esteam Green-Line will prove itself to be worthy the very first time you use it.



### **PRESPRAY**



Esteam Green-Line Prespray has been developed for the world of environmentallyresponsible cleaning. With its blend of environmentally friendly, VOC compliant building agents and surfactants Esteam's Green-Line Prespray meets or exceeds the environmental choice criteria for green cleaning in today's world.

4 L (1.06 US gal)

Diluted pH: 8.9 Dilution Ratio: 1:32



### **SPOTTER**



Esteam Green-Line Spotter has been developed for the world of environmentally responsible cleaning. This product is formulated with a special blend of Eco-friendly agents to deliver powerful spot and stain removal results on carpet and wet cleanable upholstery. Green-Line Spotter meets or exceeds the environmental choice criteria for green cleaning in today's world.

1 L (34 oz) 4 L (1.06 US gal) Diluted pH: 7.5 Dilution Ratio: Ready to use



### **RINSE**



Esteam Green-Line Rinse has been developed for the world of environmentallyresponsible cleaning. This product has been formulated to remove suspended soils and neutralize alkalinity leaving fibres clean, soft and residue free. Green-Line Rinse is phosphate free, VOC free, completely biodegradable and meets or exceeds the environmental choice criteria for green cleaning in today's world.

4 L (1.06 US gal)

Diluted pH: 10.6 Dilution Ratio: up to 1:64



### **EMULSIFIER**



Green-Line Emulsifier has been developed for the world of environmentallyresponsiblecleaning. This unique blend of eco friendly ingredients comes together to create a concentrated emulsifier that breaks up greasy residue and suspends soils for easy extraction. Green-Line Emulsifier meets or exceeds the environmental choice criteria for green cleaning in today's world.

4 L (1.06 US gal)

Diluted pH: 8.8 Dilution Ratio: 1:320



### **UPHOLSTERY PRESPRAY**



Upholstery Prespray is for those heavily soiled areas that need extra attention. Designed with a blend of detergents, solvents, and the added power of ammonia. Upholstery Prespray is for use on wet cleanable synthetic upholstery fabrics.

4 L (1.06 US gal) 20 L (5.28 US gal) 205 L (54.1 US gal)

Diluted pH: 10.0 Dilution Ratio: 1:2



### HAITIAN COTTON SHAMPOO



Haitian Cotton Shampoois formulated specifically for Haitian Cotton and other natural cotton fibres. It helps inhibit fibre browning and dye bleeding.

4 L (1.06 US gal)

Diluted pH: 2.2 Dilution Ratio: 1:4



### **UPHOLSTERY CLEANER**



4 L (1.06 US gal)

Upholstery Cleaner is a scientifically formulated cleaning solution for wet cleanable upholstery fabrics. Its powerful, concentrated active ingredients remove the toughest soiled conditions.

Diluted pH: 8.7

Dilution Ratio: 1:42-1:85



### NATURAL FIBRE PRESPRAY



NATURAL FIBRE PRESPRAY

Natural Fibre Prespray is a concentrated pre-conditioner for delicate carpets or fabrics. The advanced formula is designed to gently lift the toughest soils from natural fibres.

4 L (1.06 US gal)

Diluted pH: 7.5 Dilution Ratio: 1:32



### **UPHOLSTERY SHAMPOO**



Upholstery Shampoo is an advanced formulated foaming shampoo specially designed for use on wet cleanable fine fabrics.

4 L (1.06 US gal)

Diluted pH: 6.3 Dilution Ratio: 1:40



### UPHOLSTERY DRYCLEANER



Upholstery Drycleaner is ideal for velvets or any other fabrics that are not wet cleanable. It may also be used in the cleaning of lamp shades, woven wood shades and other fine surfaces. Designed for use in dry cleaning equipment.



Diluted pH: N/A
Dilution Ratio: Ready to use







### CITRUS 500



Citrus 500 combines the cleaning power of D-Limonene citrus extracts with deep penetrating solvents to produce a most versatile spotter. It works on a wide variety of spots such as lipstick, tar, gum, adhesive, some fresh paint, and many more. Citrus 500 can also be used as a booster to presprays, by adding 2 oz to each diluted gallon of prespray.

1 L (34 oz) 4 L (1.06 US gal) pH: N/A Dilution Ratio: Ready to use



### **ENCAP SPOTTER**



Encap Spotter brings encapsulating chemistry into a spot remover that will easily remove a wide variety of common spots and stains. Encapsulating any remaining soils into a crystallized form when it dries, allowing it to be easily removed with subsequent vacuuming. The encapsulating polymer also resists soiling long after the spot has been removed.

1 L (34 oz) 4 L (1.06 US gal) pH: 8.7

Dilution Ratio: Ready to use



### VANISH



Vanish is an easy to use two part system which will eliminate most coffee, fruit juice and many other stains. This amazing product works like magic. Just spray it on and walk away. Vanish is self-neutralizing and non-residual.



1 L (34 oz) Spray-Pack 4 L (1.06 US gal) Mixed pH: 9.7 Dilution Ratio: One part Vanish #1 to one part Vanish #2



### **GEL-SPOT**



Gel-Spot is a uniquely designed formulation that utilizes the dissolving ability of safe citrus solvents. It is concentrated into a gel consistency to keep the cleaning power where it is needed; at the surface of the carpet fibres. Gel-Spot effectively removes a broad range of oil and protein based stains as well as chewing gum.

475 ml (16 oz) 1 L (34 oz) pH: N/A

Dilution Ratio: Ready to use



### P.O.G.



P.O.G. (Paint, Oil & Grease) is a non-volatile dry spotter. P.O.G. quickly penetrates beneath the spot and creates suspension between the spot and the fibre. It removes tough oil based spots like grease, oil, tar, dried oil based paint, lipstick, nail polish, some inks and adhesives.

1 L (34 oz) 4 L (1.06 US gal) pH: N/A

Dilution Ratio: Ready to use



### VANISH FUSION



Vanish Fusion is a ready to use (RTU) one part system, no mixing required, VOC Compliant Stain remover that effectively removes a wide variety of organic and protein based stains from carpet and fabric quickly and easily. Just spray on and walk away. Vanish Fusion has been developed using encapsulating chemistry that resists resoiling long after spot has been removed.

1 L (34 oz) Spray Bottle 4 L (1.06 US gal) pH: 5.8

Dilution Ratio: Ready to use



### PET STAIN & ODOR REMOVER



Pet Stain & Odor Remover is a blend of odor neutralizing agents and stain releasing compounds. Pet Stain & Odor Remover chemically neutralizes the odor utilizing a multi-Bacillus spore enzyme to digest the source of the odor.

1 L (34 oz) 4 L (1.06 US gal) pH: 6.7

Dilution Ratio: Ready to use -1:4



### **RUST REMOVER**



Rust Remover is a ready to use water based phosphoric / oxylic acid solution designed to remove rust stains and other metallic spots. Its flexible squeeze bottle allows you to apply Rust Remover directly onto the stain.



475 ml (16 oz)

pH: 0.6

Dilution Ratio: Ready to use



### **BLOOD REMOVER**



Blood Remover is a specially designed product for the removal of blood stains and eliminating odor from decomposing blood.



### **BROWN OUT**



Brown Out is the answer to many problems associated with overwetting of carpeting. Simply spray a light application of Brown Out to the affected area and it will eliminate or reduce the browning effect.

pH: 11.3

Dilution Ratio: Ready to use

4 L (1.06 US gal)

pH: 3.0 - 4.5 Dilution Ratio: Ready to use

### 1 L (34 oz)

### VANISH SPRAY-PACK

Just Spray it on...and Walk Away!

Watch this revolutionary system make coffee, fruit juice and red wine stains 'VANISH'

- Extraordinary results
- Works on many dye stains
- · Absolutely no rinsing required
- · No mixing required
- Spray-Pack automatically mixes only the amount you need
- Meets specifications for use on stain resistant carpets



### REMOVING STAINS HAS NEVER BEEN EASIER

Esteam's Professional Spotting
Kit is designed for dealing with
the wide range of spots and
stains professional cleaners
deal with everyday.
The light weight carrying
case includes everything
you need to remove
even the toughest stains.











### **SUPER SPOTTER**



Stain Gone is a water based enzyme spotter. With its power packed formulation of enzymes, it is effective on most protein spots or stains such as blood, vomit, eggs, milk or urine.



Super Spotter is a special blend of surfactants and solvents. This water based formulation is safe and easy to use. It can be used on natural or synthetic carpets, as well as on wet cleanable upholstery and fine fabrics.

1 L (34 oz) 4 L (1.06 US gal) pH: 7.9

Dilution Ratio: Ready to use

1 L (34 oz) 4 L (1.06 US gal) pH: 6.7

Dilution Ratio: 1:4



### **DRY SOLV**





DRY SOLV evaporates quickly and completely without rinsing, leaving no residue behind. It is effective in removing oil, grease, tar, gum and other oily spots.

DRY SOLV is dry cleaning solvent designed for cleaning all fabrics or fibers labeled "dry clean only" or coded with "S" cleaning designation.



### **URINE REMOVER**



Urine Remover is a special blend of surfactants and emulsifiers that are designed to breakdown urine stains.

3.89 L (1 US gal)

pH: N/A

Dilution Ratio: Ready to use

1 L (34 oz) 4 L (1.06 US gal) Diluted pH: 4.7 Dilution Ratio: 1:2

### **HOME CARE SPOTTER**



Never let a customer forget your name. Our Home Care Spotter labeled with your company name and phone number is the answer.

Home Care Spotter costs very little to give away but is also substantial enough to sell.

Customized Label-Your Company name and phone number will be printed on every label. That means your information will be on a product that the customer loves and will use frequently.



START EARNING TODAY!

### SPOTTING SOLUTIONS GUIDE

ASPHALT / TAR / OILS: Scrape off excess. Apply Citrus 500 or Gel-Spot. Tamp well. Extract. Repeat if needed.

BLOOD / EGGS: Apply Super Spotter or Stain Gone. Tamp well. Allow dwell time. Extract. Repeat if needed.

BUTTER / MARGARINE: Apply Gel-Spot or Citrus 500. Tamp well. Allow dwell time. Extract.

CANDLE WAX/ CRAYON: Scrape off excess. Apply Citrus 500 or Gel-Spot. Tamp well. Extract.

CHEWING GUM: Harden gum with ice. Scrape off excess. Apply Gel-Spot onto gum. Allow dwell time. Scrape off remaining gum. Extract with Fibre Rinse solution.

COUGH SYRUP: Remove excess. Apply Super Spotter. Agitate with bone spatula or tamp with spotting brush. Blot with clean white towel. Rinse/Extract thoroughly with fresh water. Apply Stain Gone. Tamp with spotting brush and allow to dwell. Rinse/Extract with fresh water.

COFFEE / TEA / WINE: Thoroughly dampen stained area with Vanish or Vanish Fusion as directed. Leave Vanish on stain, as it dries Vanish will eliminate stain.

Repeat if needed.

CRAYONS: Remove excess. Apply Citrus 500 to a clean white towel and blot stain working from outside of stain inward. If stain remains apply Gel-Spot and allow dwell time, agitate with a bone spatula from outside of stain inward. Flush/Extract with Fibre Rinse solution.

CREAM / ICE CREAM / MILK: Apply Stain Gone. Tamp well. Allow dwell time, 5 to 10 minutes. Extract with hot water.

DRIED PAINT: Cross cut paint to allow product penetration. Apply Gel-Spot. Allow dwell time. Extract with Fibre Rinse solution.

FECES: Remove excess by using a bone spatula. Apply Pet Stain & Odor Remover and allow to dwell. Extract with hot water. Repeat if necessary.

FILTRATION SOIL LINES: Apply Olefin Prespray and allow 10 minutes dwell time, agitate by tamping with spotting brush. Flush/Extract with Fibre Rinse solution. Repeat if necessary.

GRAVY: Remove excess material with bone spatula or blot with clean white towel. Apply Stain Gone and allow dwell time. Flush/Extract with Fibre Rinse solution. Repeat if necessary.





JAM & JELLY: Remove excess with bone spatula. Apply Super Spotter, allow to dwell. Rinse with Fibre Rinse solution. Apply Stain Gone, allow dwell time. Rinse with Fibre Rinse solution.

KETCHUP: Apply Stain Gone and allow to dwell. Flush/ Extract with Fibre Rinse solution.

LIPSTICK: Remove excess with bone spatula. Apply Gel-Spot and allow to dwell. Blot with clean white towel. Apply Suspend Prespray and extract with Fibre Rinse solution.

LIQUOR: Apply Super Spotter and allow to dwell. Flush/ Extract with Fibre Rinse solution.

MUSTARD: Apply Super Spotter and allow to dwell. Flush/Extract. Apply Stain Gone, allow to dwell. Flush/Extract with Fibre Rinse solution. If discoloration remains after cleaning, use Vanish as directed.

NAIL POLISH: Apply Gel-Spot, Citrus 500 or P.O.G. Tamp with spotting brush. Flush/Extract with Fibre Rinse solution. Repeat as necessary.

PAINT: Apply P.O.G. or Gel-Spot Tamp with spotting brush. Allow dwell time. Flush/Extract with Fibre Rinse solution.

PET URINE: Apply Pet Stain & Odor Remover. Allow to dwell for 10 minutes. Flush/Extract with Fibre Rinse solution.

RUST: Apply Rust Remover. Using a bone spatula agitate the affected area. Allow two minutes dwell time, and thoroughly flush with water.

SHOE POLISH: Remove excess with bone spatula. Apply Gel-Spot and allow to dwell. Blot with clean white towel. Apply Suspend Prespray and extract with Fibre Rinse solution.

VOMIT: Remove excess with bone spatula. Apply Stain Gone or Pet Stain & Odor Remover. Tamp using a spotting brush. Allow dwell time. Flush/Extract with Fibre Rinse solution.

WINE: Thoroughly dampen stained area with Vanish or Vanish Fusion as directed. Leave Vanish on stain, as it dries Vanish will eliminate stain. Repeat is needed.







- Protectors help your carpet stay cleaner, brighter and extend the life of your carpet
- Protectors allow you more time to clean-up spills
- Protectors reduce soil and stains from becoming embedded in your carpet
- Protectors are a safe, economical, invisible shield against soil and stains



### **TUFT GUARD II**



Tuft Guard II is an advanced water based carpet protector using the latest in environmentally conscious fluorochemical technology. Tuft Guard II delivers superior performance for dry and oily soil resistance. With the benefit of added acid stain blockers carpet fibres are protected from absorbing acid based stains. This product allows for easier spot and spill clean up while at the same time reducing excess fibre wear by protecting carpet from abrasive soils resulting in extended carpet life. VOC compliant.

4 L (1.06 US gal) 20 L (5.28 US gal) 205 L (54.1 US gal)

Diluted pH: 5.8 Dilution Ratio: 1:4 - 1:8



### FIBRE GUARD II



Fibre Guard II is a specially formulated protectant that guards against spots and stains caused by dry soils, oily soils, greases and water based spills. For fine fabrics, upholstery, drapes, wall coverings and lamp shades. It is also a safe, low odor solvent based fabric protector.



4 L (1.06 US gal)

Diluted pH: N/A Dilution Ratio: Ready to use

### **APPLE DEODORANT**



Apple Deodorant is a concentrated water based odor counteractant. A professional deodorizer used for routine odor control. May also be used for hard surface odor control. Apple Deodorant is stain resistant compatible.

4 L (1.06 US gal)

Diluted pH: 7.7 Dilution Ratio: 1:128



### **LEMON DEODORANT**



Lemon Deodorant is a concentrated water based odor counteractant. A professional deodorizer used for routine odor control. May also be used for hard surface odor control. Lemon Deodorant is stain resistant compatible.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 7.7 Dilution Ratio: 1:128



### TRIPLE ACTION



Esteam Triple Action with encapsulating properties will eliminate odor problems. Using advanced technology, Triple Action chemically neutralizes odors. It is extremely effective on a broad spectrum of odors including urine, vomit, skunk and many other malodors. This product efficiently removes odors associated with human, animal, food and smoke. Utilizing a multi-Bacillus spore enzyme, Triple Action eliminates the odor, digests the source and leaves behind a pleasant fragrance.

1 L (34 oz) 4 L (1.06 US gal) Diluted pH: 6.7 Dilution Ratio: Up to 1:4



### **CHERRY DEODORANT**



Cherry Deodorant is a concentrated water based odor counteractant. A professional deodorizer used for routine odor control as well as tough flood restoration problems. May also be used for hard surface odor control.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 7.7 Dilution Ratio: 1:128



### SPRING BREEZE DEODORANT



Spring Breeze Deodorant is a concentrated water based odor counteractant. A professional deodorizer used for routine odor control. May also be used for hard surface odor control. Spring Breeze Deodorant is stain resistant compatible.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 7.7 Dilution Ratio: 1:128



### **CINNAMON ODOR FRESH**



Cinnamon Odor Fresh is a concentrated water based odor counteractant. A professional deodorizer used for routine odor control as well as tough flood restoration problems. May also be used for hard surface odor control.



Diluted pH: 7.5 Dilution Ratio: 1:128







### FIRE WASH



Fire Wash is a concentrated wall wash with an ultra strength formulation for your most difficult cleaning needs. Fire Wash removes heavy smoke residues, grease and other difficult soils from painted surfaces, metal, concrete, tile, hard floors and both sealed and unsealed wood.

4 L (1.06 US gal) 20 L (5.28 US gal) 205 L (54.1 US gal)

Diluted pH: 10.8 Dilution Ratio: Up to 1:10



### C.O.



C.O. is an all purpose cleaner / odor counteractant for use on hard non-porous surfaces. Its odor counteractant properties deodorize while it cleans. This mild formulation is easy on hands and can also be used as an additive booster for laundry loads to remove smoke odors from clothing.

4 L (1.06 US gal)

Diluted pH: 7.4 Dilution Ratio: Up to 1:80



### GP 2000



GP 2000 is a heavy duty alkaline cleaner for use on hard surfaces. It is a general purpose cleaner effective for light routine cleaning to heavy restorative cleaning.



4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 11.5 Dilution Ratio: Up to 1:40



### SMOKE N'SOOT REMOVER



Smoke 'n Soot Remover is designed to eliminate the residues resulting from smoke, soot and carbon combustion. This product has also been proven most effective in removing grease, oil, food and yellowing from tobacco nicotine. Smoke n' Soot Remover is ideal for use on metal, concrete, ceramic tile, painted surfaces, sealed wood, appliances, countertops, sinks, cabinets, floors, bathtubs and other wet cleanable surfaces.

4 L (1.06 US gal)

Diluted pH: 11.7 Dilution Ratio: Up to 1:8



### D.S.



D.S. is a heavy duty concentrated cleaner for use on hard surfaces. This powerful cleaner is formulated to attack extreme grease and smoke film on hard surfaces. It can be used as an additive to Esteam C.O. as a boosting agent. D.S. effectively removes light to moderate smoke residue on brick and masonry fireplaces.

4 L (1.06 US gal)

Diluted pH: 11.9 Dilution Ratio: Up to 1:80



### DEGREASER



Degreaser is a water soluble, non-butyl cleaner / degreaser which attacks and emulsifies all types of animal and vegetable greases and oils.

4 L (1.06 US gal) 20 L (5.28 US gal) Diluted pH: 11.3 Dilution Ratio: 1:4 - 1:63



### **SOOT SEAL**



Soot Seal is a water based polymer encapsulant sealer that forms a protective coating that will encapsulate and seal contaminates.

The protective coating seals surfaces and encapsulates particulates. Soot Seal can be used to prevent crosscontamination of airborne particulate during structural drying and dehumidification.

4 L (1.06 US gal)

Diluted pH: 7.9 Dilution Ratio: 1:4



### COMPLETE CONCENTRATE



Complete Concentrate is a professional strength all purpose cleaner concentrated to be diluted down for economical use. Use Complete for general cleaning applications. It is versatile enough to clean appliances, countertops, sinks, walls, ceramic tiles, painted woodwork, cabinets, floors, bathtubs andmuchmore. Complete will remove fingerprints, smoke residues, lipstick, crayon, soap residues, etc.

4 L (1.06 US gal) Concentrated Formula

pH: 11.7 Dilution Ratio: UP to 1:8



### **COIL CLEANER**



Coil Cleaner is specially designed for use in truckmounted carpet cleaning extractors to remove hard water build-up and chemical deposits from heat exchangers. Regular use of Coil Cleaner will help prevent heat loss, and plugged heat exchangers.

One of the most important and overlooked preventative maintenance items is a quarterly coil flush. Water deposits can build up on the heated components of your water system. Over time even non-heated components will start to collect water or chemical deposits and start to close the gap in the hoses and tubes. Without proper water flow to the pump, damage can occur to your pumps seals. With water being a pumps main source of lubricate for your seals, low water could cause issues with keeping these components lubricated and cool. Without proper water flow, heat is not able to transfer to the water as efficiently as it passes thought the heat exchanges to your wand, causing lower water temperatures and making the cleaning process harder and less efficient.

4 L (1.06 US gal)

pH:0.5

Dilution Ratio: Ready to use



### **BAC-STOP**



Bac-Stop is an industrial strength hard surface, D.I.N. registered phenol/alcohol disinfectant, designed for use in hospital, institutional and commercial applications. Bac-Stop will eliminate odor causing germs due to flooding, sewer backup, toilet overflows, water leaks, mold, mildew and many other situations. Bac-Stop can be applied to sinks, walls, tile, counter tops, garbage cans, toilet areas, shower stalls, carpet and other places where bacteria can cause malodors.

NOT AVAILABLE IN THE UNITED STATES





4 L (1.06 US gal)

Diluted pH: 7.1

Dilution Ratio: Ready to use





## TILE & GROUT ALKALINE CLEANER



Tile & Grout Alkaline Cleaner has been formulated for professional results in the cleaning of ceramic tile and grout. Alkaline Cleaner breaks surface tension quickly, releasing grease stains and soils for easy extraction.

4 L (1.06 US gal)

Diluted pH: 12.8

Dilution Ratio: 1:4 to 1:8



### TILE & GROUT NEUTRAL CLEANER



Tile & Grout Neutral Cleaner is an all purpose cleaner with the technology to loosen oils and soils from all types of hard surfaces and holds them in suspension for removal. Neutral Cleaner can be used with scrubbing machines, rotary extractors, hard surface tools or mopand bucket. Neutral Cleaner should also be used as a rinsing agent after the use of Tile & Grout Acidic Cleaner or Tile & Grout Alkaline Cleaner to prepare surface for sealant.

Diluted pH: 7.5 - 8

4 L (1.06 US gal) Dilution Ratio: 1:40 up to 1:133



### TILE & GROUT ACIDIC CLEANER



Tile & Grout Acidic Cleaner is designed for ceramic tile, stone and grout to remove hard water build up, mineral scales and efflorescence. Acidic Cleaner uses ingredients that are significantly more effective than many traditional acids at removing insoluble salts and safer to use.

4 L (1.06 US gal)

Diluted pH: <1 Dilution Ratio: 1:4



### **TILE & GROUT SEALER**



Tile & Grout Sealer is a water based, ready to use, penetrating sealer that forms a durable transparent barrier against oil and water based soils. Tile & Grout Sealer chemically bonds to all grout lines and porous unglazed tile such as marble, granite, limestone, slate, terrazzo, sandstone and flag stone and all grout lines to avoid staining and aid in future cleaning. VOC compliant.

1 L (34 oz) 4 L (1.06 US gal)) pH: 4.3


Dilution Ratio: Ready to use

## THE E1200 HARD SURFACE CLEANER, DESIGNED FOR TILE & GROUT CLEANING

The E1200 comes with auto fill and auto dump features already added. It also includes 50' fill hose and 50' dump hose. This multi-purpose machine with adjustable pressure can be used for hard surface and carpet cleaning.

- Rotomolded housing with limited lifetime warranty
- 10 gallon solution & recovery tanks
- Auto fill with 50' fill hose
- Auto pump out 1800 GPH with 50' dump hose
- Adjustable plunger pump 400 PSI - 1000 PSI
- Front mounted pressure guage
- Dual high performance 2 stage vacuum 150" water lift
- Dual power cords
- Easy lift handles
- Weight 140 lbs
- Optional Circuit Indicator







### **9600**



The E600 is a professional strength hot water extractor that features high performance components in a compact, durable two tone polyethylene housing.

### Pumps Available:

 150PSI Diaphragm Demand Pump (Viton Seals)

### Vacuums Available:

• Single 3-Stage (125"Water Lift)

### Dimensions:

- H:35"W:13½" L:18" (Handle up)
- H: 28"W: 13½" L: 18" (Handle down)

#### Features:

- Two-Tone Rotomolded Polyethylene Housing
- 22 L (6 Gallon) Solution Tank
- 22 L (6 Gallon) Recovery Tank
- 25' Power cord
- Limited Lifetime Housing Warranty
- 1 Year Warranty on Components
- Weight: 54 lbs

Optional CSA Approved 200°F Internal Heater

Designed for ease of transportation and storage, the E-600 has a fold down handle making it fit easily into almost any vehicle.

### **9300**



The E300 weighs only 18 lbs for easy portable use. The convenient 3 gallon recovery tank capacity and well balanced design provide quick and easy cleaning of carpet spots and stains.

### Pump:

55 PSI

### Vacuum:

2 Stage, 76" water lift, 100 CFM

### Dimensions:

H:19" W: 10" L: 21"

#### Features:

- Durable Rotomolded Body
- 3 gallon Solution Tank
- 3 gallon Recovery Tank
- 96" Hose Length
- · Weight: 18 lbs

The E300's convenient one latch removable tank provides easy dumping and makes cleaning a breeze.



The External Heatermate greatly improves the cleaning ability, speed and performance of any portable carpet cleaning extractor.



### Features:

- Rotomolded Polyethylene Housing
- · Aluminum 1850 Watt Heating Core
- Draws 14 Amps
- Single, 15 ft Attached Power Cord
- Convenient Carry Handle

Amazing heat rise - 90 seconds and get temperatures up to 200°F.





Get the lowest amps with the highest airflow. The 3-speed OmniDry 2.9 delivers up to 1100 CFM at approximately 2.9 amps, is stackable, comes with a 25′ power cord and a built-in cord wrap.

### Specifications:

- 1/3 Horsepower, 2-Speed
- ETL Certified
- 27 Pounds
- 25' Power Cord
- Integral GFCI Duplex Power Outlet
- · Daisv chain
- Exceptional air-flow
- 2.9 amps on High

- 1.9 amps on Low
- Balanced airflow for quieter operation
- Power: 115 AC/60Hz
- · Shipping Weight: 23 lbs

Units nest for ease of stacking during storage and handling





Let the NINJA CLASSIC<sup>™</sup>, with its high quality components that are guaranteed for dependability and performance, save you time and money where it counts... on the job site. All standard units ranging from 150 to 500 PSI, including models with heat, are CSA-US approved.

The Ninja Classic™ offers convenience and reliability like no other. Rely on the world's most popular extractors to save you time and money!





### Pumps Available:

- 150 PSI Viton Diaphragm Demand Pump
- 200 PSI Adjustable Plunger Pump
- 500 PSI Adjustable Plunger

#### Pump

### Vacuums Available:

- Single 3-Stage (135" Water lift) (Ninja 500)
- Dual 2-Stage (150"Water lift)

#### **Dimensions:**

• H: 361/4" W: 273/4" L: 191/4"

#### Features:

- Two-Tone Rotomolded Polyethylene Housing
- 40 L (10.56 Gallon) Solution Tank
- 40 L (10.56 Gallon) Recovery Tank
- 25' Power cord
- · Limited Lifetime Housing Warranty
- 1 Year Warranty on Major Components
- Weight: 89-121 lbs

Optional 200°F Internal Heater



Let the NINJA CLASSIC™ 200D, with its high quality components that are guaranteed for dependability and performance, save you time and money where it counts... on the job site. All standard units, including models with heat, are CSA-US approved.

The Ninja Classic™ 200D features a 200 PSI diaphragm pump that can withstand being run dry!





### Pumps Available:

• 200 PSI Diaphragm Pump

### Vacuums Available:

- Dual 2-Stage (150" Water lift)
- Dual 3-Stage (185" Water lift)

### Dimensions:

• H: 36¼"W: 27¾" L: 19¼"

#### Features:

- Two-Tone Rotomolded Polyethylene Housing
- 40 L (10.56 Gallon) Solution Tank
- 40 L (10.56 Gallon) Recovery Tank
- 25' Power cord
- · Limited Lifetime Housing Warranty
- 1 Year Warranty on Major Components
- · Weight: 89-105 lbs

Optional 200°F Internal Heater

### Flood Master

Let the Flood Master tackle all your small to large flood jobs. Its dual 2 stage vacuums and submersible pump will dispose of up to 65 gallons per minute. But that's not all... it is also equipped for carpet and upholstery cleaning with its optional 150 or 200 PSI pump.

Put the Flood Master to work for your business.





### The most versatile solution to your flood problems!

#### **Pumps Available:**

- 150 PSI Diaphragm Demand Pump (Viton Seals)
- 200 PSI Diaphragm Demand Pump (Viton Seals)

### Vacuums Available:

• Dual 2-Stage (150" Water lift)

### Dimensions:

• H: 36"W: 17.5" L: 26"

#### Features:

- Two-Tone Rotomolded Polyethylene Housing
- 40 L (10.56 Gallon) Solution Tank
- 40 L (10.56 Gallon) Recovery Tank
- 25' Power cord
- Limited Lifetime Housing Warranty
- 1 Year Warranty on Components
- Weight: 100-110 lbs

### THE NINJA MISTER

## DESIGNED FOR DISINFECTING LARGE AREAS QUICKLY AND EASILY

Designed with two-10 gallon capacity holding tanks allows for adequate solution storage to keep going when others require a refill and two spray guns offer dual operator capability, saving time when it matters the most. Each tank is equipped with a 150PSI pump and it's own switch for easy operation. Each spray gun offers a 16" stainless steel extension rod for hard to reach areas and dispense at a 110 degree angle from a 1.5 orifice jet.

The Ninja Mister is CSA/US approved for use in any government buildings including hospitals, care centres, schools, recreation centres, etc.





- Holding Tank x 2: 10 Gallons Each
- Housing: Rotomoulded Polyethylene Housing
- Pump (per Tank): 150 PSI
- Spray Guns x 2: with 16" SS Extention Rod &
- 25 Ft Coil Hose each
- Electrical: Single 25 Ft, 115V, 4 Amps
- Dual Connection: Brass Quick Connects
- Wheels: 8" Rear & 4" Front Casters
- · Weight: 70lbs









### **SLX 47 TRUCKMOUNT**

Powered by a liquid cooled Kubota engine, with a multi-stage heating system delivering consistent high heat.



### **FEATURES:**

- Kubota WG 972 liquid cooled gasoline engine
- Roots 47 DSL Whispair positive displacement vacuum blower, vacuum at 13Hg flows up to 455 CFM
- 3CP Cat pump with hi temp seals producing up to 2000 PSI complete with clutch activation
- Dual automatic belt tensioner
- · Stainless steel tubular frame construction
- Ceramic coated multi-stage heating system delivering consistent heat
- 'Hospital grade' silencing system
- Side panels are easily removed for full access to components
- Color coded front quick disconnects to easily identify hot, warm and cold outlets
- Front mounted "Easy Lube" vacuum lube system
- Front panel oil sights allow easy fluid checks
- Front mounted oil drain ports for easier maintenance
- Pre-wired AUX and APO switch
- 90 gallon powder coated marine grade aluminum waste tank

Part #	Description
215-47SL	Cleanco SLX 47 Truckmount comes w/ 150' x 2" vacuum hose, 150' HP solution hose & ss carpet wand





STANDARD EQUIPMENT	45	47
Precision Balanced PTO Drive Shaft	•	•
100 Gallon Waste Tank	•	•
Twin Blower Filters & Lint Basket	•	•
5CP Plunger Cat Pump Clutch Activated	•	•
Vacuum Blower	Roots 45 Whispair DSL	Roots 47 Whispair DSL
Dual Coolant Heat Exchanger System	•	•
Quick Release Instrument Control Panel	•	•
Dual Solution Connections	•	•
Dual Vacuum Connections	2"	2"
Carpet & Upholstery Speed Settings	•	•
Pump & Blower Oil Site View Lines	•	•
Easy Access Blower Lube Port	•	•
2" Titanium Carpet Wand	•	•
Vacuum Hose	100 ft. 2"	150 ft. 2"
High-Temp Solution Hose	100 ft	150 ft
Chemical Jug & Holder	•	•
Whisper Pac System	•	•
High Temp Shut Down	•	•
Park Brake Sensor	•	•
P.T.I Heat Exchanger	•	•
Optional 120 Gallon Waste Tank	•	•
Operation & Maintenance Manual	•	•
5 Year Extend-A-Care Warranty	•	•
Embroidered Cleanco Jacket	•	•



### 125 GALLON AQUA REEL TANK WITH ELECTRIC REEL



The Aqua Reel Water Tank has a rotational molded polyethylene tank. It has a 125 gallon capacity and has a 250' live solution reel and 250' electric vacuum reel. This space saving design is 35" wide with auto fill and a powder coated frame.

### 120 GALLON AQUA STORAGE TANK



Full 120 U.S. gallons - Aluminum construction, powder coated finish. Designed with direct feed and auto shut-off. Shelves for 10 gallon jugs, 8 trigger sprayer bottles, and 2 Hydro-Force Jugs, incorporated on a fresh water tank.

### **VAN SHELF 3 TIER**



This stainless steel unique 3-level design allows you to store up to 21 chemical bottles.

### **FURNITURE TAB HOLDER**



Keep all your foil pads in one place withthis light-weight powder-coated aluminum holder that mounts to the walls, doors or shelves of your van.

### HYDRO-FORCE™ HOLDER



Mounts easily to doors, walls or floors. This holder will securely hold your Hydro-Force™ sprayer in place. It comes complete with clamps to restrain the Hydro-Force™ wand.

### DOUBLE SPRAYER HOLDER



Powder-coated aluminum Dual Pump-Up Sprayer holder mounts to the floor of your van and holds sprayers in place to minimize damage and extend the life of your pump-up sprayers.

### FOAM BLOCK HOLDER



Hold foam blocks in place with this light-weight powder-coated aluminum holder that mounts to the walls, doors or shelves of your van.

### TRIGGER SPRAYER HOLDER



This light-weight powder-coated aluminum holder is all you need to secure up to 4 trigger sprayers. Mount it where ever you want... it takes up very little space.

### TRUCKMOUNT 1½" DUAL JET S-BEND



### 11/2" STAINLESS STEEL DUAL **JET S-BEND**



Portable or truckmount use

40" STAIR TOOL



- brass valve
- · Soft opening

### **SX-15 CLEANING TOOL**

Heat shield

D-handle

800 PSI rating



250-007

### **DETAILER TOOL 3"**



- 31/2" wide cleaning head
- Stainless steel construction
- Single open spray jet
- 400 PSI rating

### HAND TOOL NO-DRIP 3" **CLOSED JET**



- 3" wide vacuum head
- Stainless steel construction
- Vacuum relief control
- 400 PSI rating

### **AUTO DETAILER** COMPACT 3"

construction



- 3" length cleaning head
- Stainless steel construction
- Ideal for upholstery & auto detailing
- 400 PSI rating

### 17" LONG CREVICE TOOL



- Stainless steel construction
- Internal spray jet
- Internal vacuum relief
- 400 PSI rating

### **DETAILER TOOL 4"**



- 4½" wide cleaning head
- Stainless steel construction
- Single open spray jet
- 400 PSI rating

Would you like more information on all of these great products?

# Visit www.esteam.com

to get all of the information you need including Safety Data Sheets.




# Esteam follows and actively promotes the IICRC Carpet Cleaning Standard.


This process promotes cleaning for health and permits the professional cleaning technician to extract the maximum amount of pollutants from carpets while leaving the minimum amount of residue. This process includes dry soil removal, soil suspension, soil extraction, nap setting and drying.

### FIBRE ID CHART

### FIBRE ID - Simplified Burn Test



Dilution Rate	Ounces Per Gallon
1 to 4	32
1 to 5	26
1 to 10	12
1 to 12	10
1 to 15	8
1 to 20	6
1 to 32	4
1 to 40	3
1 to 50	2.5
1 to 60	2
1 to 100	1
1 to 128	.75
1 to 256	.5



3750 - 19th Street NE Calgary, Alberta, Canada T2E 6V2 Toll Free: 1-800-653-8338 Tel: (403) 291-7050 www.esteam.com

